Brain Research, 634 (1994) 358–360
© 1994 Elsevier Science B.V. All rights reserved 0006-8993/94/$07.00

Author Index

Abumrad, N.N., see Molina, P.E. (634) 41
Abumrad, N.N., see Yousef, K.A. (634) 131
Akiguchi, I., see Nishimura, M. (634) 339
Apfel, S.C., Arezzo, J.C., Brownlee, M., Federoff, H. and Kessler, J.A.
Nerve growth factor administration protects against experimental diabetic sensory neuropathy (634) 7
Araki, T., see Goto, Y. (634) 203
Arezzo, J.C., see Apfel, S.C. (634) 7
Arias, P., Goroll, D., Convertini, V., Jarry, H. and Wuttke, W.
Effects of taurine on basal and stimulated luteinizing hormone (LH) and LH-releasing hormone secretion in ovariectomized rats: in vitro studies (634) 325

Baba, K., see Ueyama, T. (634) 353
Barone Jr., S., see Freeman Jr., J.H. (634) 85
Beck, O., see Osborne, P.G. (634) 20
Behar, T.N., see Smith Jr., T.G. (634) 181
Bentura, M.L., see Rodrigo, J. (634) 191
Bier, M.J. and McCarley, R.W.
REM-enhancing effects of the adrenergic antagonist idazoxan infused into the medial pontine reticular formation of the freely moving cat (634) 333
Blasco-Ibáñez, J.M., see Martínez-Guijarro, F.J. (634) 168
Brownfield, M.S., see Van de Kar, L.D. (634) 77
Brownlee, M., see Apfel, S.C. (634) 7

Calaresu, F.R., see Madorin, W.S. (634) 13
Calés, J.M., see Pérez-Laso, C. (634) 1
Carlson, J.N., see Keller Jr., R.W. (634) 266
Chandler, S.H., see Turman Jr., J.E. (634) 49
Convertini, V., see Arias, P. (634) 325
Corrigall, W.A., see Laurier, L.G. (634) 31

Dellovade, T.L., Harada, N. and Rissman, E.F.
Distribution and steroid dependence of aromatase enzyme immunoreactivity in limbic nuclei of the female musk shrew brain (634) 141
Desban, M., see Krebs, M.-O. (634) 345
Dratman, M.B., see Gordon, J.T. (634) 96

Federoff, H., see Apfel, S.C. (634) 7
Finnman, U.-B., see Hedlund, P.B. (634) 163
Florack, V.J., see Watt, C.B. (634) 310
Florack, V.J., see Watt, C.B. (634) 317
Freeman Jr., J.H., Barone Jr., S. and Stanton, M.E.
Cognitive and neuroanatomical effects of triethyltin in developing rats: role of age of exposure (634) 85
Fukui, M., see Goto, Y. (634) 203
Fuxe, K., see Hedlund, P.B. (634) 163

Gauchy, C., see Krebs, M.-O. (634) 345
George, S.R., see Laurier, L.G. (634) 31
Gilmore, S.A., see Sims, T.J. (634) 113
Gleason, C.A., see Libet, B. (634) 178
Glick, S.D., see Keller Jr., R.W. (634) 266
Glowinski, J., see Krebs, M.-O. (634) 345
Gordon, J.T., Martens, D.A., Tomlinson, E.E., Greenberg, J. and Dratman, M.B.
Desmethylimipramine, a potent inhibitor of synaptosomal norepinephrine uptake, has diverse effects on thyroid hormone processing in rat brain. II. Effect on in vivo 5′-deiodination of [^{125}I]thyroxine (634) 96
Goroll, D., see Arias, P. (634) 325
Goto, Y., Araki, T., Kato, M. and Fukui, M.
Propagation of hippocampal seizure activity arising from the hippocampus: a local cerebral blood flow study (634) 203
Grace, A.A., see O'Donnell, P. (634) 105
Greenberg, J., see Gordon, J.T. (634) 96
Gruol, D.L. and Parsons, K.L.
Chronic exposure to alcohol during development alters the calcium currents of cultured cerebellar Purkinje neurons (634) 283
Guillamón, A., see Pérez-Laso, C. (634) 1

Häbler, H.-J., see McAllen, R.M. (634) 227
Harada, N., see Dellovade, T.L. (634) 141
Hedlund, P.B., Finnman, U.-B., Yanaihara, N. and Fuxe, K.
Galanin-(1–15), but not galanin-(1–29), modulates 5-HT$_{1A}$ receptors in the dorsal hippocampus of the rat brain: possible existence of galanin receptor subtypes (634) 163
Henderson, Z., see Sherriff, F.E. (634) 150
Horiike, K., see Nagata, Y. (634) 291
Houtani, T., see Ueyama, T. (634) 353

Ikeda, K., see Nishimura, M. (634) 339
Ikeda, M., see Ueyama, T. (634) 353
Inoue, Y., see Watanabe, M. (634) 328

Jackson, G.R., Sampath, D., Werrbach-Perez, K. and Perez-Polo, J.R.
Effects of nerve growth factor on catalase and glutathione peroxidase in a hydrogen peroxide-resistant pheochromocytoma subclone (634) 69
Jänig, W., see McAllen, R.M. (634) 227
Jarry, H., see Arias, P. (634) 325

Kato, H., Liu, Y., Kogure, K. and Kato, K.
Induction of 27-kDa heat shock protein following cerebral ischemia in a rat model of ischemic tolerance (634) 235
Kato, K., see Kato, H. (634) 235
Kato, M., see Goto, Y. (634) 203
Keller Jr., R.W., Maisonneuve, I.M., Nuccio, D.M., Carlson, J.N. and Glick, S.D.
Effects of prenatal cocaine exposure on the nigrostriatal dopamine system: an in vivo microdialysis study in the rat (634) 266
Kelly, M.E. and McIntyre, D.C.
Hippocampal kindling protects several structures from the neuronal damage resulting from kainic acid-induced status epilepticus (634) 245
Kemel, M.-L., see Krebs, M.-O. (634) 345
Kessler, J.A., see Apfel, S.C. (634) 7
Kimura, J., see Nishimura, M. (634) 339
Kizuki, K., Suzuki, T., Kudo, M. and Noguchi, T.
Immunohistochemical demonstration of tissue kallikrein in the neurons of rat brain (634) 305
Kogure, K., see Kato, H. (634) 235
Komachi, H., Yanagisawa, K., Shirasaki, Y. and Miyatake, T.
Protein kinase C subspecies in hippocampus and striatum of reserpinized rat brain (634) 127
Kono, T. and Takada, M.
Dopamine depletion in nigrostriatal neurons in the genetically diabetic rat (634) 155
Krajnak, K., Manzanares, J., Lookingland, K.J. and Nunez, A.A.
Gender differences in tuberoinfundibular dopaminergic neuronal activity in a photoperiodic rodent (*Mesocricetus auratus*) (634) 159
Krebs, M.-O., Kemel, M.-L., Gauchy, C., Desban, M. and Glowinski, J.
Does bicuculline antagonize NMDA receptors? Further evidence in the rat striatum (634) 345
Kudo, M., see Kizuki, K. (634) 305

Lang, C.H., see Molina, P.E. (634) 41
Lang, C.H., see Yousef, K.A. (634) 131
Laurier, L.G., Corrigall, W.A. and George, S.R.
Dopamine receptor density, sensitivity and mRNA levels are altered following self-administration of cocaine in the rat (634) 31
Libet, B. and Gleason, C.A.
The human locus coeruleus and anxiogenesis (634) 178
Liu, Y., see Kato, H. (634) 235
Lookingland, K.J., see Krajnak, K. (634) 159
López-García, C., see Martínez-Guijarro, F.J. (634) 168

Madorin, W.S. and Calaresu, F.R.
Cardiovascular changes elicited by microinjection of glycine or GABA into the spinal intermediolateral nucleus in urethane-anesthetized rats (634) 13
Maeda, N., see Rodrigo, J. (634) 191
Maeda, T., see Nagata, Y. (634) 291
Maier, S.F., see Wiertelak, E.P. (634) 214

Brain Research, 634 (1994) 358–360
© 1994 Elsevier Science B.V. All rights reserved 0006-8993/94/$07.00

Author Index

Abumrad, N.N., see Molina, P.E. (634) 41
Abumrad, N.N., see Yousef, K.A. (634) 131
Akiguchi, I., see Nishimura, M. (634) 339
Apfel, S.C., Arezzo, J.C., Brownlee, M., Federoff, H. and Kessler, J.A.
Nerve growth factor administration protects against experimental diabetic sensory neuropathy (634) 7
Araki, T., see Goto, Y. (634) 203
Arezzo, J.C., see Apfel, S.C. (634) 7
Arias, P., Goroll, D., Convertini, V., Jarry, H. and Wuttke, W.
Effects of taurine on basal and stimulated luteinizing hormone (LH) and LH-releasing hormone secretion in ovariectomized rats: in vitro studies (634) 325

Baba, K., see Ueyama, T. (634) 353
Barone Jr., S., see Freeman Jr., J.H. (634) 85
Beck, O., see Osborne, P.G. (634) 20
Behar, T.N., see Smith Jr., T.G. (634) 181
Bentura, M.L., see Rodrigo, J. (634) 191
Bier, M.J. and McCarley, R.W.
REM-enhancing effects of the adrenergic antagonist idazoxan infused into the medial pontine reticular formation of the freely moving cat (634) 333
Blasco-Ibáñez, J.M., see Martínez-Guijarro, F.J. (634) 168
Brownfield, M.S., see Van de Kar, L.D. (634) 77
Brownlee, M., see Apfel, S.C. (634) 7

Calaresu, F.R., see Madorin, W.S. (634) 13
Calés, J.M., see Pérez-Laso, C. (634) 1
Carlson, J.N., see Keller Jr., R.W. (634) 266
Chandler, S.H., see Turman Jr., J.E. (634) 49
Convertini, V., see Arias, P. (634) 325
Corrigall, W.A., see Laurier, L.G. (634) 31

Dellovade, T.L., Harada, N. and Rissman, E.F.
Distribution and steroid dependence of aromatase enzyme immunoreactivity in limbic nuclei of the female musk shrew brain (634) 141
Desban, M., see Krebs, M.-O. (634) 345
Dratman, M.B., see Gordon, J.T. (634) 96

Federoff, H., see Apfel, S.C. (634) 7
Finnman, U.-B., see Hedlund, P.B. (634) 163
Florack, V.J., see Watt, C.B. (634) 310
Florack, V.J., see Watt, C.B. (634) 317
Freeman Jr., J.H., Barone Jr., S. and Stanton, M.E.
Cognitive and neuroanatomical effects of triethyltin in developing rats: role of age of exposure (634) 85
Fukui, M., see Goto, Y. (634) 203
Fuxe, K., see Hedlund, P.B. (634) 163

Gauchy, C., see Krebs, M.-O. (634) 345
George, S.R., see Laurier, L.G. (634) 31
Gilmore, S.A., see Sims, T.J. (634) 113
Gleason, C.A., see Libet, B. (634) 178
Glick, S.D., see Keller Jr., R.W. (634) 266
Glowinski, J., see Krebs, M.-O. (634) 345
Gordon, J.T., Martens, D.A., Tomlinson, E.E., Greenberg, J. and Dratman, M.B.
Desmethylimipramine, a potent inhibitor of synaptosomal norepinephrine uptake, has diverse effects on thyroid hormone processing in rat brain. II. Effect on in vivo 5′-deiodination of [^{125}I]thyroxine (634) 96
Goroll, D., see Arias, P. (634) 325
Goto, Y., Araki, T., Kato, M. and Fukui, M.
Propagation of hippocampal seizure activity arising from the hippocampus: a local cerebral blood flow study (634) 203
Grace, A.A., see O'Donnell, P. (634) 105
Greenberg, J., see Gordon, J.T. (634) 96
Gruol, D.L. and Parsons, K.L.
Chronic exposure to alcohol during development alters the calcium currents of cultured cerebellar Purkinje neurons (634) 283
Guillamón, A., see Pérez-Laso, C. (634) 1

Häbler, H.-J., see McAllen, R.M. (634) 227
Harada, N., see Dellovade, T.L. (634) 141
Hedlund, P.B., Finnman, U.-B., Yanaihara, N. and Fuxe, K.
Galanin-(1–15), but not galanin-(1–29), modulates 5-HT$_{1A}$ receptors in the dorsal hippocampus of the rat brain: possible existence of galanin receptor subtypes (634) 163
Henderson, Z., see Sherriff, F.E. (634) 150
Horiike, K., see Nagata, Y. (634) 291
Houtani, T., see Ueyama, T. (634) 353

Ikeda, K., see Nishimura, M. (634) 339
Ikeda, M., see Ueyama, T. (634) 353
Inoue, Y., see Watanabe, M. (634) 328

Jackson, G.R., Sampath, D., Werrbach-Perez, K. and Perez-Polo, J.R.
Effects of nerve growth factor on catalase and glutathione peroxidase in a hydrogen peroxide-resistant pheochromocytoma subclone (634) 69
Jänig, W., see McAllen, R.M. (634) 227
Jarry, H., see Arias, P. (634) 325

Kato, H., Liu, Y., Kogure, K. and Kato, K.
Induction of 27-kDa heat shock protein following cerebral ischemia in a rat model of ischemic tolerance (634) 235
Kato, K., see Kato, H. (634) 235
Kato, M., see Goto, Y. (634) 203
Keller Jr., R.W., Maisonneuve, I.M., Nuccio, D.M., Carlson, J.N. and Glick, S.D.
Effects of prenatal cocaine exposure on the nigrostriatal dopamine system: an in vivo microdialysis study in the rat (634) 266
Kelly, M.E. and McIntyre, D.C.
Hippocampal kindling protects several structures from the neuronal damage resulting from kainic acid-induced status epilepticus (634) 245
Kemel, M.-L., see Krebs, M.-O. (634) 345
Kessler, J.A., see Apfel, S.C. (634) 7
Kimura, J., see Nishimura, M. (634) 339
Kizuki, K., Suzuki, T., Kudo, M. and Noguchi, T.
Immunohistochemical demonstration of tissue kallikrein in the neurons of rat brain (634) 305
Kogure, K., see Kato, H. (634) 235
Komachi, H., Yanagisawa, K., Shirasaki, Y. and Miyatake, T.
Protein kinase C subspecies in hippocampus and striatum of reserpinized rat brain (634) 127
Kono, T. and Takada, M.
Dopamine depletion in nigrostriatal neurons in the genetically diabetic rat (634) 155
Krajnak, K., Manzanares, J., Lookingland, K.J. and Nunez, A.A.
Gender differences in tuberoinfundibular dopaminergic neuronal activity in a photoperiodic rodent (*Mesocricetus auratus*) (634) 159
Krebs, M.-O., Kemel, M.-L., Gauchy, C., Desban, M. and Glowinski, J.
Does bicuculline antagonize NMDA receptors? Further evidence in the rat striatum (634) 345
Kudo, M., see Kizuki, K. (634) 305

Lang, C.H., see Molina, P.E. (634) 41
Lang, C.H., see Yousef, K.A. (634) 131
Laurier, L.G., Corrigall, W.A. and George, S.R.
Dopamine receptor density, sensitivity and mRNA levels are altered following self-administration of cocaine in the rat (634) 31
Libet, B. and Gleason, C.A.
The human locus coeruleus and anxiogenesis (634) 178
Liu, Y., see Kato, H. (634) 235
Lookingland, K.J., see Krajnak, K. (634) 159
López-García, C., see Martínez-Guijarro, F.J. (634) 168

Madorin, W.S. and Calaresu, F.R.
Cardiovascular changes elicited by microinjection of glycine or GABA into the spinal intermediolateral nucleus in urethane-anesthetized rats (634) 13
Maeda, N., see Rodrigo, J. (634) 191
Maeda, T., see Nagata, Y. (634) 291
Maier, S.F., see Wiertelak, E.P. (634) 214

Maisonneuve, I.M., see Keller Jr., R.W. (634) 266
Manzanares, J., see Krajnak, K. (634) 159
Martens, D.A., see Gordon, J.T. (634) 96
Martínez-Guijarro, F.J., Blasco-Ibáñez, J.M. and López-García, C.
Postnatal increase of GABA- and PV-IR cells in the cerebral cortex of the lizard *Podarcis hispanica* (634) 168
Martinez-Murillo, R., see Rodrigo, J. (634) 191
McAllen, R.M., Häbler, H.-J., Michaelis, M., Peters, O. and Jänig, W.
Monosynaptic excitation of preganglionic vasomotor neurons by subretrofacial neurons of the rostral ventrolateral medulla (634) 227
McCarley, R.W., see Bier, M.J. (634) 333
McIntyre, D.C., see Kelly, M.E. (634) 245
Michaelis, M., see McAllen, R.M. (634) 227
Mikoshiba, K., see Rodrigo, J. (634) 191
Mishina, M., see Watanabe, M. (634) 328
Miyatake, T., see Komachi, H. (634) 127
Molina, P.E., Tepper, P.G., Yousef, K.A., Abumrad, N.N. and Lang, C.H.
Central NMDA enhances hepatic glucose output and non-insulin-mediated glucose uptake by a nonadrenergic mechanism (634) 41
Molina, P.E., see Yousef, K.A. (634) 131
Monji, A., Morimoto, N., Okuyama, I., Yamashita, N. and Tashiro, N.
Effect of dietary vitamin E on lipofuscin accumulation with age in the rat brain (634) 62
Mooney-Heiberger, K., see Wiertelak, E.P. (634) 214
Morimoto, N., see Monji, A. (634) 62
Morton, K.D.R., see Van de Kar, L.D. (634) 77

Nagano, M. and Shinoda, K.
Coexistence of the stigmoid body and estrogen receptor in some neuronal groups involved in rat reproductive functions (634) 296
Nagata, Y., Horiike, K. and Maeda, T.
Distribution of free D-serine in vertebrate brains (634) 291
Nakagawa, H., see Ueyama, T. (634) 353
Nakamura, S., see Nishimura, M. (634) 339
Namba, Y., see Nishimura, M. (634) 339
Nishimura, M., Tomimoto, H., Suenaga, T., Nakamura, S., Namba, Y., Ikeda, K., Akiguchi, I. and Kimura, J.
Synaptophysin and chromogranin A immunoreactivities of Lewy bodies in Parkinson's disease brains (634) 339
Noguchi, T., see Kizuki, K. (634) 305
Nuccio, D.M., see Keller Jr., R.W. (634) 266
Nunez, A.A., see Krajnak, K. (634) 159

Ochiishi, T., Terashima, T., Sugiura, H. and Yamauchi, T.
Immunohistochemical localization of Ca^{2+}/calmodulin-dependent protein kinase II in the rat retina (634) 257
O'Connor, W.T., see Osborne, P.G. (634) 20
O'Donnell, P. and Grace, A.A.
Tonic D_2-mediated attenuation of cortical excitation in nucleus accumbens neurons recorded in vitro (634) 105
Ohno, M., Yamamoto, T. and Watanabe, S.
Intrahippocampal administration of the NO synthase inhibitor L-NAME prevents working memory deficits in rats exposed to transient cerebral ischemia (634) 173
Ohno-Shosaku, T., see Yamamoto, C. (634) 349
Okuyama, I., see Monji, A. (634) 62
Osborne, P.G., O'Connor, W.T., Beck, O. and Ungerstedt, U.
Acute versus chronic haloperidol: relationship between tolerance to catalepsy and striatal and accumbens dopamine, GABA and acetylcholine release (634) 20

Palij, P. and Stamford, J.A.
Real-time monitoring of endogenous noradrenaline release in rat brain slices using fast cyclic voltammetry: 3. Selective detection of noradrenaline efflux in the locus coeruleus (634) 275
Parsons, K.L., see Gruol, D.L. (634) 283
Pérez-Laso, C., Valencia, A., Rodríguez-Zafra, M., Calés, J.M., Guillamón, A. and Segovia, S.
Perinatal administration of diazepam alters sexual dimorphism in the rat accessory olfactory bulb (634) 1
Perez-Polo, J.R., see Jackson, G.R. (634) 69
Peters, O., see McAllen, R.M. (634) 227
Polak, J.M., see Rodrigo, J. (634) 191

Rissman, E.F., see Dellovade, T.L. (634) 141
Rodrigo, J., Uttenthal, O., Bentura, M.L., Maeda, N., Mikoshiba, K., Martinez-Murillo, R. and Polak, J.M.
Subcellular localization of the inositol 1,4,5-trisphosphate receptor, P400, in the vestibular complex and dorsal cochlear nucleus of the rat (634) 191
Rodríguez-Zafra, M., see Pérez-Laso, C. (634) 1

Sampath, D., see Jackson, G.R. (634) 69
Sawada, S., see Yamamoto, C. (634) 349
Segovia, S., see Pérez-Laso, C. (634) 1
Sherriff, F.E. and Henderson, Z.
A cholinergic propriospinal innervation of the rat spinal cord (634) 150
Shinoda, K., see Nagano, M. (634) 296
Shirasaki, Y., see Komachi, H. (634) 127
Sims, T.J. and Gilmore, S.A.
Regrowth of dorsal root axons into a radiation-induced glial-deficient environment in the spinal cord (634) 113
Smith Jr., T.G. and Behar, T.N.
Comparative fractal analysis of cultured glia derived from optic nerve and brain demonstrate different rates of morphological differentiation (634) 181
Stamford, J.A., see Palij, P. (634) 275
Stanton, M.E., see Freeman Jr., J.H. (634) 85
Suenaga, T., see Nishimura, M. (634) 339
Sugimoto, T., see Ueyama, T. (634) 353
Sugiura, H., see Ochiishi, T. (634) 257
Suzuki, T., see Kizuki, K. (634) 305

Takada, M., see Kono, T. (634) 155
Tashiro, N., see Monji, A. (634) 62
Tepper, P.G., see Molina, P.E. (634) 41
Tepper, P.G., see Yousef, K.A. (634) 131
Terashima, T., see Ochiishi, T. (634) 257
Tomimoto, H., see Nishimura, M. (634) 339
Tomlinson, E.E., see Gordon, J.T. (634) 96
Turman Jr., J.E. and Chandler, S.H.
Immunohistochemical localization of glutamate and glutaminase in guinea pig trigeminal premotoneurons (634) 49

Ueyama, T., Houtani, T., Nakagawa, H., Baba, K., Ikeda, M., Yamashita, T. and Sugimoto, T.
A subpopulation of olivocerebellar projection neurons express neuropeptide Y (634) 353
Ungerstedt, U., see Osborne, P.G. (634) 20
Uttenthal, O., see Rodrigo, J. (634) 191

Valencia, A., see Pérez-Laso, C. (634) 1
Van de Kar, L.D., Morton, K.D.R. and Brownfield, M.S.
Brain catecholamines mediate the delayed reduction in renin release after injection of fenfluramine (634) 77

Watanabe, M., Mishina, M. and Inoue, Y.
Differential distributions of the NMDA receptor channel subunit mRNAs in the mouse retina (634) 328
Watanabe, S., see Ohno, M. (634) 173
Watkins, L.R., see Wiertelak, E.P. (634) 214
Watt, C.B. and Florack, V.J.
A triple-label analysis demonstrating that enkephalin-, somatostatin- and neurotensin-like immunoreactivities are expressed by a single population of amacrine cells in the chicken retina (634) 310
Watt, C.B. and Florack, V.J.
Interaction between enkephalin and GABA in the chicken retina: further analyses of coexisting relationships (634) 317
Werrbach-Perez, K., see Jackson, G.R. (634) 69
Wiertelak, E.P., Yang, H.-Y.T., Mooney-Heiberger, K., Maier, S.F. and Watkins, L.R.
The nature of conditioned anti-analgesia: spinal cord opiate and anti-opiate neurochemistry (634) 214
Wuttke, W., see Arias, P. (634) 325

Yamamoto, C., Sawada, S. and Ohno-Shosaku, T.
Suppression of hippocampal synaptic transmission by the spider toxin ω-agatoxin-IV-A (634) 349
Yamamoto, T., see Ohno, M. (634) 173
Yamashita, N., see Monji, A. (634) 62
Yamashita, T., see Ueyama, T. (634) 353

Yamauchi, T., see Ochiishi, T. (634) 257
Yanagisawa, K., see Komachi, H. (634) 127
Yanaihara, N., see Hedlund, P.B. (634) 163
Yang, H.-Y.T., see Wiertelak, E.P. (634) 214
Yousef, K.A., Tepper, P.G., Molina, P.E., Abumrad, N.N. and Lang, C.H. Differential control of glucoregulatory hormone response and glucose metabolism by NMDA and kainate (634) 131
Yousef, K.A., see Molina, P.E. (634) 41

(contents continued)

Synaptophysin and chromogranin A immunoreactivities of Lewy bodies in Parkinson's disease brains
M. Nishimura, H. Tomimoto, T. Suenaga, S. Nakamura, Y. Namba, K. Ikeda, I. Akiguchi and J. Kimura (Japan) 339
Does bicuculline antagonize NMDA receptors? Further evidence in the rat striatum
M.-O. Krebs, M.-L. Kemel, C. Gauchy, M. Desban and J. Glowinski (France) 345
Suppression of hippocampal synaptic transmission by the spider toxin ω-agatoxin-IV-A
C. Yamamoto, S. Sawada and T. Ohno-Shosaku (Japan) 349
A subpopulation of olivocerebellar projection neurons express neuropeptide Y
T. Ueyama, T. Houtani, H. Nakagawa, K. Baba, M. Ikeda, T. Yamashita and T. Sugimoto (Japan) 353

Author Index 358